Date: 3 December 99

STATEMENT OF WORK (SOW)

For the Rebuild of the

Panel, Patching, Communication, SB-4097/U

NSN: 5895-01-102-2100 P/N: F66691; CAGE: 96344

ROY & SUMNER

Switch Systems Section Equipment Specialist

(Code 847-3)

MCLB, Albany GA

CAROLE JONES

Inventory Manager Switch Systems Section

(Code 847-3)

MCLB, Albany GA

WILEYH. COOK, JK.

Weapon System/Equipment Manager Switch Systems Section (Code 847-3)

MCLB, Albany GA

STATEMENT OF WORK FOR THE

Rebuild of the Panel, Patching, Communication, SB-4097/U NSN: 5895-01-102-2100

- 1.0 <u>SCOPE</u>. This document contains requirements to restore the SB-4097/U, NSN 5895-01-102-2100, CAGE 96344, Part Number F66691, to Condition Code "A." Condition Code A is defined as "serviceable/issuable without qualification, new, used, repaired or reconditioned material which is serviceable and issuable to all customers without limitation or restriction, including material with more than 6 months shelf-life remaining."
- 1.1 This Statement of Work (SOW) identifies the work effort including repair, testing, and packaging/marking requirements that shall be performed by the contractor to rebuild the SB-4097/U, NSN 5895-01-102-2100, CAGE 96344, Part Number F66691.
- Applicable Documents. The following documents form a part of this SOW to the extent specified. Unless otherwise specified, the issues of these documents are those listed in the DoD Index of Specifications and Standards (DoDISS) and supplement thereto which is in effect on the date of solicitation. In the event of conflict between the documents referenced herein and the contents of this SOW, the contents of this SOW shall be the superseding requirement.

2.1 Military Standard

MIL-STD-129 Standard Practice for Military Marking

MIL-STD-2073-1C DoD Standard Practice for Military Packaging

Military Standard (For Reference Only)

MIL-STD-973 Configuration Management

2.2 Other Government Documents and Publications

DOD 4000.25-1-M MILSTRIP Manual

NAVICPINST 4491.2A NAVICP Instruction: Requisitioning of Contractor

Furnished Material from the Federal Supply System

RS-08229A Rebuild Standard for Panel, Patching,

Communication SB-4097/U

F66691 Panel, Patching, Communication, SB-3660/U

2.3 Industry Standard

ANSI/EIA-625 Requirements for Handling Electrostatic-Discharge

Sensitive ESDS Devices

ANSI/ISO/ASQC Q9003-1994 Quality Systems

Copies of Military Specifications and Standards are available from the Naval Publications and Forms Center, (ATTN: NPODS), 5801 Tabor Avenue, Philadelphia, PA 19120-5099. Copies of other government documents and publications required by contractors in connection with specific SOW requirements shall be obtained through the Contracting Officer: Commander, Attn: Contracting Officer (Code 891), Marine Corps Logistics Bases, 814 Radford Blvd., Albany, Georgia 31704-1128, commercial telephone number (912) 439-6761 or DSN 567-6761. Copies of engineering drawings, if applicable, shall be obtained from Life Cycle Management Center, Attn: Code 825-3, 814 Radford Blvd. Suite 20320, Albany, Georgia 31704-0320, commercial telephone number (912) 439-6410 or DSN 567-6410.

3.0 Requirements

General Task. The contractor shall rebuild the SB-4097/U, NSN 5895-01-102-2100, CAGE 96344, Part Number F66691 in accordance with RS-08229A and Engineering Drawing F66691.

3.2 Packaging, Handling, Storage and Transportation (PHS&T)

- a. The Contractor shall be responsible for preservation and packaging of items being repaired under the terms of this statement of work. Items being prepared for long term storage or shipment to overseas destinations shall be preserved and packaged to level "A" requirements of MIL-STD-2073-1C, Appendix A, Table A.VI., Electronic Equipment. Items being prepared for domestic shipment and immediate use shall be prepared to level "B" requirements.
 - b. Marking of all items shall be in accordance with MIL-STD-129.
- c. The Marine Corps will provide the Contractor with the shipping address(es) for delivery of the repaired equipment. The Contractor shall be responsible for arranging for shipment to the pre-designated site(s). The Marine Corps will be responsible for transportation costs associated with shipping the subject equipment to and from the Contractor.
- 3.3 <u>Configuration Control</u>. The contractor shall implement configuration control to established configuration items. Deviation from the established baseline configuration will not be allowed without the approval in writing from the Weapon System/Equipment Manager (Code 847-3). If necessary to temporarily depart from the authorized configuration, the contractor shall prepare and submit a Request for Deviation or Request for Waiver. MIL-STD-973 (paragraph 5.4.3 or 5.4.4 and Appendix E) may be used as a guide.
- 3.4 Government Furnished Equipment (GFE)/Government Furnished Materiel (GFM)
 GFE is government owned equipment authorized by contract for use by a commercial/
 government contractor. It is neither consumed during the production nor incorporated into any
 product. GFM is materiel furnished to a contractor that will be consumed during the course of
 production or incorporated into product being manufactured/remanufactured under a

contract/statement of work. In the event the Marine Corps does have GFE/GFM requirements, the Management Control Activity (MCA/822), Marine Corps Logistics Bases, Albany, Georgia, will coordinate required GFE and will maintain a central control on Marine Corps assets in the Contractor's possession. The MCA will forward a GFE Accountability agreement to the Contractor Facility for signature to establish a chain of custody and property responsibilities for Marine Corps assets. The Contractor shall report receipt of all GFM and report consumption of GFM to the MCA.

- 3.5 <u>Quality Assurances Provisions</u>. The contractor shall provide and maintain a Quality System that as a minimum, adheres to the requirements of ANSI/ISO/ASQC Q9003-1994, Quality System Model for Quality Assurance in Final Inspection and Test.
- 3.6 <u>Electrostatic Discharge (ESD) Control Program</u>. The contractor shall establish, implement and document an ESD control program following the guidelines provided in ANSI/EIA-625. ESD protective measures shall be used during manufacturing, handling, inspection, test, marking, packaging, storing and transporting ESD sensitive components.
- 3.7 <u>Contractor Furnished Materiel</u>. The Marine Corps has adopted the Navy's procedures regarding Contractor Furnished Materiel (NAVICPINST 4491.2A). In the event Contractor Furnished Materiel is required for repair parts, the contractor shall requisition through the DoD Supply System. DoD 4000.25-1-M, (MILSTRIP) Chapter 11 authorizes contractors to requisition through the DoD Supply System.

CONTRACT DATA REQUIREMENTS LIST

(1 Data Item)

Form Approved OMB No. 0704-0188

The public reporting burden for this collection of information is estimated to average 110 hours per response, including the time for reviewing instructions, searching existing data sources, gethering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to Department of Defense, Washington Headquarters Services. Directorate for information Operations and Reports (0701-0188), 1215 Jefferson Davis Highway, Suite 1204, Arington, VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number.

Please D0 NOT RETURN your form to the above address. Send completed form to the Government Issuing Contracting Officer for the Contract/PR No. listed in Block E.

A. CONTRACT LINE ITEM NO. B. EXH		B. EXHIBIT									4			
D. SYSTEM/ITEM			E. CONTRACT/PR NO. F. CONTRA											
Panel, Patel	hing, Communica	ations				3. SUBTITLE						17. PRICE GR		
	2. ITILE UF DATA TIEM	3. SUBTITLE												
A001 Request For Waiver							nageme	18. ESTIMAT						
4. AUTHORITY (Bate Acquisition Document No.) DI-CMAN-80641B			3, CUM INACI NEFENER	5. CONTRACT REFERENCE SOW 3.3			6. REQUIRING OFFICE MCLBA (825)					TOTAL PR		
7. 00 250 REQ		O. FREQUENCY 12. DATE O			DATE OF FIRST SUBMISSION SEE BLK 16		DISTRIBUTION							
8. APP CODE	LT APP CODE 11			13. DATE OF SUBSEQUENT		a. Addressee	-	b. COPIES	: L					
A				SUBMISSION					Draft Reg Repro		Repro			
16. REMARKS	-4 6 4 :4						MCLE	BA (825-2)	0	1	0	1		
	ctor format is auti		to obtain auth	orization to	daliwa				-			1		
nonconforming documentation.	RFWs shall be s g material which o	does not i	neet prescribe	d configurat	ion	; 1								
RFWs will be receipt by the (reviewed and disp Government.	oosition d	etermined wit	hin 30 calend	dar da	ays upon								
RFWs shall be mbmatcomconi	transmitted via E figmngmnt@matc	-Mail to com.usmo	the following mil	address:										
Distribution Sta	atement A: Appr	oved for	public release	; distribution	ı is u	ılimited.						† 		
									1		<u> </u>			
] !		
									-	ļ	 			
] ; i		
									<u> </u>		<u> </u>			
									<u> </u>					
									+		<u> </u>			
											<u> </u>			
												j		
									-					
												 		
											ļ	 		
] ¦		
								<u> </u>						
]		
G. PREPARED BY		71	/ H. DATE	I. APPRO	JVED D	,	15. TOTAL		J. DAT	1	0	l i		
Dam	es (./	Val	12/1/	99	/ <u>/</u> /	A	Par	W	3	Dec	99			
DD FORM 1423	1, AUG 96 (EG)	L DWO	PP	EVÍOUS EDITIONT	MAY BE	USED.	1	1	Page	ot	Pages	J \$		

CONTRACT DATA REQUIREMENTS LIST

(1 Data Item)

Form Approved OMB No. 0704-0188

The public reporting burden for this collection of information is estimated to average 110 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and meintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to Department of Defense, Washington Headquarters Services, Directorate for Information Department and Reports (0701-0188), 1215 Jefferson Davis Highway, Suite 1204, Arington, VA 22202-4302. Respondents should be aware that notwithstanding any other provision of low, no person shell be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number.

The public reporting burden for this collection of information information in first part of the contraction of the

A. CONTRACT LINE	IIEM NŲ.	B. EXHIBIT		C. CATEGORY:							
D. SYSTEM/ITEM Panel, Patching, Communic		ations	E. CONTRACT/PR	TDP TM NO.	F. CONTRA						
I. DATA ITEM NO.	2. TITLE OF DATA ITEM									17. PRICE GRO	
A002		Request	For Deviation			iration Mai	120eme				
4. AUTHURITY (Date Acqui	sition Document No.)		Request For Deviation 5. CONTRACT REFERENCE			Configuration Management 6. REQUIRING OFFICE MCLBA (825)					18. ESTIMATE
DI-	CMAN-80640B	SOW 3.3									TOTAL PRI
7. DD 250 REQ	9. DIST STATEMENT REQUIRED	10. FREQUEN		12. DATE OF FIRST SUBMISSI			14. DISTRIBUTION			:	
LT 8. APP CODE		11. AS OF DA	ASREQ	SEE BLK 16 13. DATE OF SUBSEQUENT			b. COPIES				
6. AFF GUDE	A	II. AS OF DA	16	SUBMISSION		a. ADDRESSEE		Oraft Reg F		nal Repro	
16. REMARKS		<u> </u>				MCLB/	A (825-2)	0	1	0	:
Blk 4 - Contra	ctor format is autl	horized.									
Blks 10 & 12 - RFDs shall be submitted to obtain authorization to deliver nonconforming material which does not meet prescribed configuration documentation.											
	reviewed and disp Government.										
RFDs shall be transmitted via E-Mail to the following address: mbmatcomconfigmngmnt@matcom.usmc.mil] . .
Distribution S	tatement A: Appr	oved for	public release	; distribution is u	nlimited.						
								 			
								-			
								ļ			;
								-			:
											!
								1			1
								 			
											İ
											!
								 			
											!
								ļ			
								1			
G. PRERARED BY			U DATE	I. APPROVED B	<u>. </u>	15. TOTAL) 0	1	0	
John Bi	as CP	1/all	H. DATE //	99 July	f A		W	J. DATI	Den	99	.
DD-COPM 1422	1, AUG 96 (EG)	~~~	- / / / /	EVIOUS EDITION MAY BE	ubro	700		Page	of	Pages	ļ I